GLARIE HOMELIFT

HOMELIFT SERIES

ORIGINATED FROM GERMANY INHERITING CLASSICS



GLARIE

Glarie Elevator Co., Ltd.

Address: No.9 Xuqing RD., National New & Hi-tech Industrial Development Zone, New District, Suzhou, Jiangsu, 215151, China.

Tel：0512-66677088　　Fax：0512-66677808

Hotline：400 828 2100　　Official website：Http://www.glarie.com

The brochure is only for your reference. Please refer to the respective technical documents, subject to change without notice.

GLARIE Elevator All Rights Reserved.

Version History:

Initial Version: V1.0 | Release Date: February 26, 2024

Updated Version: V1.1 | Update Date: July 31, 2024

Updated Version: V1.2 | Update Date: August 22, 2024

Updated Version: V1.3 | Update Date: October 10, 2024

Updated Version: V1.4 | Update Date: February 27, 2025

Updated Version: V1.5 | Update Date: April 18, 2025

Updated Version: V1.6 | Update Date: May 20, 2025

Current Version: V1.7 | Update Date: May 21, 2025

GLARIE®

With German noble demeanor,we build legendary artistic quality

GLARIE originated in the 19th century is like ancient Swan Stone Castle in Germany.
It continues European aristocratic lineage and artistic charm.Swan stone castle was built by Ludwig II of Bavaria personally.
It is the exclusive King’ s dream world,full of art and fairy color.And specifically for the
European aristocracy handmade custom GLARIE elevator is perfect into the castle for its noble style,
aristocratic art and romantic breathing.All of these create magnificent space and become a popular German classic.

The perfect fusion of elevator and art

Glarie elevator

In 2013, GLARIE established Suzhou Glarie elevator Co., LTD that as a whole R&D, manufacturing, sales and maintenance in one, located in paradise on earth–Suzhou. With the best combination of global and local, we will continue German industrial essence to create green, safe, comfortable and intelligent living life for Chinese customers by innovative technology, excellent solution of passenger flow and logistics and international service. Glarie in the future will continue to actively participate in the sustainable development construction of globalization Make contribution to global urbanization process by the strength of art up.













GLARIE A century-old innovation history of an aristocratic elevator brand……



1880
Mr. Konrad Glarie established GLARIE Steel Mechanical Company in Frankfurt, Germany

1886
GLARIE Steel Machinery Processing Company officially produces elevator steel frame components

1912
Konrad Glarie has started to establish a complete elevator factory and products are being shipped gradually

1923
GLARIE begins to develop steam driven elevators





1925
GLARIE opened the wooden car workshop cars for the aristocracy

1937
GLARIE collaborates to launch automatic

first handmade in Europe, customizing at that time

with Heinrich company elevator doors

1940
GLARIE launches the first worm gear elevator

1946
Expanded the elevator and component business to states such as Mecklenburg, Thuringia, North Rhine, Bremen, Saarland, Westphalia, and opened 10 branch offices





1958
GLARIE launches the first cost settlement based group control system in Europe

1966
GLARIE launches the first AC servo drive system elevator in Europe

1880 1910 1920 1940 1950



1972
GLARIE is the first to use new materials such as natural stone and aviation materials in villa elevators

1975
GLARIE introduces AC dual speed drag system in all elevator systems

1993
GLARIE has developed the first Machine Room Less elevator and started mass production

1997
Restructuring GLARIE Gmbh&Co.KG, covering high-tech fields such as high-end elevator customization, solar energy business, and building innovation technology services




2012
GLARIE Group has partnered Capital Co., Ltd., leveraging research and development introduce the GLARIE elevator into China and establish Co., Ltd.



with China Venture its elevator technology platform, to officially brand and technology Suzhou GLARIE Elevator

2013
GLARIE Asia Pacific Manufacturing Base, covering an area of 100,000 square meters, has officially started construction



2014
GLARIE Asia Pacific manufacturing base put into use in June




2017
GLARIE Elevator Co., Ltd. has successfully completed its shareholding reform and officially changed its name to GLARIE Elevator Co., Ltd.
German technique manufacturing has been honored for a century, and a German century old elevator brand has been revitalized in China, laying the foundation for a glorious century long journey

1970 1990 2010 2014 2017

GEH220S
wire rope traction technology

The wire rope traction technology is mature, and various safety components and measures fully protect the passengers; the operation is stable, and the variable voltage VVVF technology perfectly adjusts the elevator operating speed curve.



Min. Overhead 2600mm
Min. Pit 100mm




Optimize space
and increase car space



GEH320S
steel belt traction technology

Optimize space layout: adapt to the ultimate shaft space.
Smooth and quiet operation: high transmission efficiency, low energy consumption, low operating noise, smooth and comfortable.



Optimize space
and increase car space



Flat composite steel belt
After-sales maintenance-free



More car options



HC165

Ceiling：Hairline St St, LED linear light
Front wall：Hairline St St
Side walls：Hairline St St
Rear wall：Middle with Mirror St St,
others are Hairline St St
Car floor：PVC




HC170

Ceiling：LED flat light
Front wall：Hairline St. St.
Side wall：Color steel plate with yellow and Mirror St. St.
Rear wall：Color steel plate with yellow and black
Floor：PVC



HC171

Ceiling：LED flat light
Front wall：Hairline St. St.
Side wall：Colored steel plate with dark brown and Mirror St. St
Rear wall：Color steel plate with dark brown and red
Floor：PVC



HC169

Ceiling: LED flat light
Front wall: Hairline St. St.
Side wall: Color steel plate with white and Mirror St. St.
Rear wall: Color steel plate with white and blue
Floor: PVC

Due to rendering and printing reasons, the pictures
are for reference only, and everything is subject to the actual product!

More car options



HC143

Ceiling: Acrylic, LED spotlights, Roman bronze brown hairline stainless steel
Car walls: Roman bronze brown hairline stainless steel
Front wall: Roman bronze brown hairline stainless steel
Car floor: Marble



HC144

Ceiling:Principe Tropical Black Titanium Mirror Stainless Steel, Acrylic
Car walls: Principe Tropical Black Titanium Mirror Stainless Steel, Color Patterned Steel Plate
Front wall: Principe Tropical Black Titanium Mirror Stainless Steel
Car floor: Marble



HC145

Ceiling: Acrylic printing, LED spotlights,
Russian rose gold mirror stainless steel
Car walls: Russian rose gold patterned stainless steel, color patterned steel plate
Front wall: Russian rose gold textured stainless steel
Car door: Russian rose gold textured stainless steel
Car floor: Marble



HC157

Ceiling: LED flat light
Car rear wall: Deep Roman Bronze Brown Hairline Anti-Fingerprint Stainless Steel (Roman Bronze Brown Hairline), LED lights
Car front wall:Roman bronze brown hairline anti-fingerprint stainless steel
Car side walls:Roman bronze brown hairline anti-fingerprint stainless steel
Car floor: Marble

Due to rendering and printing reasons, the pictures are for reference only, and everything is subject to the actual product!





HC174

Ceiling：Champagne gold mirror etched St. St. with light strips

Front wall：Hairline St. St.

Side wall：Color steel plate with French oak

Rear wall：Champagne gold mirror etched St. St. with French oak

Floor：PVC



HC168

Ceiling：Color steel plate with warm white and acrylie transparent light strip

Front wall：Hairline St. St.

Side wall：Color steel plate with straight grain begonia wood and white ice jade

Rear wall：Color steel plate with straight grain begonia wood and white ice jade

Floor：PVC



HCM309

Ceiling: Metallic white paint, open-pore bronze sandblasted St St, hidden light strips

Car rear wall: Roman bronze brown mirror etched anti-fingerprint stainless steel, ceramic sheet

Car front wall: Roman bronze brown mirror etched anti-fingerprint stainless steel

Car side walls: Roman bronze brown mirror etched anti-fingerprint stainless steel, ceramic sheet, bronze mirror St St

Car floor: Marble



HCM305

Ceiling: Dark brown hairline St St, laser cutting styling lights

Car rear wall: Middle with ceramic sheet, dark brown hairline anti-fingerprint St St and decorative strips

Car front wall: Dark brown hairline anti-fingerprint St St

Car side walls: Dark brown hairline anti-fingerprint St St

Car floor: Marble

Due to rendering and printing reasons, the pictures are for reference only, and everything is subject to the actual product!





HC166

Ceiling：Color steel plate with white and acrylic transparent light strip

Front wall：Hairline St. St.

Side wall：Color steel plate with yellow and brown

Rear wall：Color steel plate with yellow and brown

Floor：PVC



HC164

Ceiling：LED flat light

Front wall：Hairline St. St.

Side wall：Hairline St. St.

Rear wall：Hairline St. St.

Floor：PVC



HC173

Ceiling：Mirror St. St. with acrylic transparent light strip

Front wall：Hairline St. St.

Side wall：Color steel plate with rock and wood grain

Rear wall：Color steel plate with white and rock and wood grain

Floor：PVC



HC172

Ceiling：Color steel plate with yellow with Acrylic transparent light strip

Front wall：Hairline St. St.

Side wall：Colored steel plate with natural pear wood

Rear wall：Color steel plate with yellow and natural pear wood with Acrylic transparent light strip

Floor：PVC

Due to rendering and printing reasons, the pictures are for reference only, and everything is subject to the actual product!

Aesthetic language

The combination of industrial design and aesthetic language creates elevator products with more beauty and comfort.The emotional design brings you a dual visual experience.GEH160 combines art and emotionIntegrate into the space.Give you a perfect user experience.

Due to rendering and printing reasons, the pictures are for reference only, and everything is subject to the actual product!

Panoramic cabin



HCS509

Ceiling: HCL026
Front Wall: Steel plate spray-painted to match aluminum alloy color
Side Wall: Tempered laminated glass, steel plate spray-painted to match aluminum alloy color
Rear Wall: Tempered laminated glass
Car floor: Marble

Due to rendering and printing reasons, the pictures are for reference only, and everything is subject to the actual product!

Please scan the QR code to view more cars.

Civil dimensions

GEH220S

GEH260

GEH320S



LOP: HHB041(standard)





COP: HOP029



Ceiling



Flooring as standard: FR034

*Due to rendering and printing reasons, the picture is for reference only, everything is subject to the actual product!

"Home, a sanctuary for the soul, an abode of art"
"Each floor, a view; every ascent, a caress of the heart"
"Customize your personal space, let warmth and elegance rise with you"

Glarie elevator

Ingenious space management master

High-Efficient

Steel belt traction drive, higher transmission efficiency, significantly improved running speed

Smooth

Increased softness can reduce vibrations caused by lift operation, making it more stable and comfortable

Quiet

Polyurethane coating effectively reduces noise caused by transmission friction, making it quiet and quiet.

Safety

1:1 composite steel belt, extremely tensile, sturdy and durable, with high safety factor.

Incorporating modern aesthetic concepts, the elevator of Glarie homelift is equipped with cutting-edge technology to create perfect space utilization. It not only ensures smooth operation and outstanding performance of the homelift, but also provides more usable space for the villa, effectively reducing civil construction costs. Such ingenuity can only to provide you and your family with an extraordinary product value experiencee.



Be different and have outstanding performance

Breaking through tradition, leading steel belt traction drive

The Glift platform innovatively uses steel belt traction drive, which has significantly improved the speed, comfort, stability and safety of operation, and can better carry travel.










GEH500


Panoramic cabin



LOP: HHB035(standard)




Marble floor（FR034)




COP: HOP026



HCS501



Starry ceiling (HCL027)



Due to rendering and printing reasons, the pictures
are for reference only, and everything is subject to the actual product!


Civil dimensions

GEH500

Non-panoramic cabin



LOP: HHB035(standard)



PVC Floor（FR101）



HC164



COP: HOP029



Hairline stainless steel cabin walls




Due to rendering and printing reasons, the pictures
are for reference only, and everything is subject to the actual product!

GEH100S

Panoramic cabin




LOP: HHB035(standard)



Marble floor（FR034)



COP: HOP029



HCS510



Due to rendering and printing reasons, the pictures
are for reference only, and everything is subject to the actual product!

Civil dimensions


GEH500



COP: HOP030(option)



COP: HOP028



COP:HOP026





LOP: HHB036(option)



Starry ceiling (HCL027)



From the inside out, you can customize it to your liking to more fully express your style and make it reflect your unique personal taste. Each version provides you with a variety of rich personalized customization options, which can be cleverly integrated with your home decoration.

GLARIE platform SLP500
Ingenious space management master

The Glift platform deeply integrates modern technology and artistic aesthetics. The space is more fashionable, the performance is more outstanding, and the layout is more flexible. It not only meets the daily travel needs of your family, but also conforms to your personalized aesthetics and enhances the architectural value.

Due to rendering and printing reasons, the pictures are for reference only, and everything is subject to the actual product!

Elevator standard configuration



LOP: HHB035(standard)



COP: HOP029





HPT001



Marble floor



Due to rendering and printing reasons, the pictures are for reference only, and everything is subject to the actual product!

Flexible personalization
Customized solution



COP: HOP030(option)






LOP: HHB036(option)



HPT005



More designs

Rich colors

Multiple functions

Decoration series



COP



HOP029(standard) HOP030(option) HOP027 HOP037 HOP038 HOP039

LOP




HHB035(standard) HHB036 HHB041 HHB042 HHB043 HHB0045 HHB0046 HHB047 HHB0048

Ceiling



HCL027 HCL028 HCL029

PVC floor



FR101 FR102 FR114 FR107

Marble floor



FR034 FR035 FR036 FR037

Landing door series



LD106 Mirror etched St St
LD107 Mirror etched St St
LD608 Champagne gold mirror etched St St
LD509 Rose gold mirror etched St St
LD410 Black titanium mirror etched St St
LD311 Bronze mirror etched St St
LD201 Titanium mirror etched St St

Glarie Elevator
Configuration options



Manual door



Automatic swing door



Automatic door



Gentleman grey



Alpine white



Glorious gold



Aluminum structure frame

Advantages of aluminum structure frame:
1. Use industrial aluminum structure frame to compact the structure and save the hoist-way area
2. Aluminum alloy interfaces are designed with floor height, with hidden cross-section interface processing. There are no connectors and bolts on the inside, making the frame traceless and beautiful.
3. Matched with aluminum alloy door panels of the same color, there is no color difference and the whole body is integrated.




AL005
Alpine white



AL006
Dark black



AL007
Jazz red



AL008
Glorious gold




AL009
Gentleman grey



AL010
Jewelry blue

GLASS




Clear glass




High transparency glass




Frosted glass



Dark brown glass



Bluestar grey glass



Black glass

Art background wall-GEH100S/500



HCS506



HCS505



HCS504



HCS510



HCS501



HCS502



HCS503

Art background wall-SLP500



HPT001



HPT002



HPT003



HPT004



HPT005



HPT006

Specification Parameter of Home Lift（Concrete/steel）

GEH220S

Load kg	Speed m/s	Car size (mm)			Door opening size (mm)		Hoistway size (mm)				
		CW Width	OD Depth	CH Height	OP Width	OPH Height	HW Width	HD Depth	OH Overhead height	PIT Pit depth	R Travel height
400	0.4	950	880	2200	650	2000	1400	1100	2850	250	⩽12000
400	0.4	1200	1280	2200	700	2000	1700	1500	2850	250	⩽12000

GEH260

Load kg	Speed m/s	Car size (mm)			Door opening size (mm)		Hoistway size (mm)				
		CW Width	OD Depth	CH Height	OP Width	OPH Height	HW Width	HD Depth	OH Overhead height	PIT Pit depth	R Travel height
250	0.4	1000	930	2200	700	2000	1600	1200	2600	350	⩽12000
320	0.4	1000	1080				1600	1350			
400	0.4	1000	1280				1600	1550			

GEH320S

Load kg	Speed m/s	Car size (mm)			Door opening size (mm)		Hoistway size (mm)				
		CW Width	OD Depth	CH Height	OP Width	OPH Height	HW Width	HD Depth	OH Overhead height	PIT Pit depth	R Travel height
400	0.4	950	800	2200	650	2000	1450	1100	2850	250	⩽12000
400	0.4	1200	1280	2200	700	2000	1750	1500	2850	250	⩽12000

GEH500

Load kg	Speed m/s	Car size (mm)			Door opening size (mm)		Hoistway size (mm)				
		CW Width	OD Depth	CH Height	OP Width	OPH Height	HW Width	HD Depth	OH Overhead height	PIT Pit depth	R Travel height
350	0.3	800	600	2150	650	2000	1000	1000	2650	100	⩽12000
350	0.3	1200	1000	2150	850	2000	1400	1400	2650	100	⩽12000

NOTE: Above shaft materials with concrete/steel

GEH220S GEH260 GEH320S

Specification Parameter of Home Lift（Aluminum structure）

GEH220S

Load kg	Speed m/s	Car size (mm)			Door opening size (mm)		Hoistway size (mm)				
		CW Width	OD Depth	CH Height	OP Width	OPH Height	HW Width	HD Depth	OH Overhead height	PIT Pit depth	R Travel height
400	0.4	950	930	2200	650	2000	1550	1300	2850	250	⩽12000
400	0.4	1200	1280	2200	700	2000	1850	1650	2850	250	⩽12000

GEH260

Load kg	Speed m/s	Car size (mm)			Door opening size (mm)		Hoistway size (mm)				
		CW Width	OD Depth	CH Height	OP Width	OPH Height	HW Width	HD Depth	OH Overhead height	PIT Pit depth	R Travel height
250	0.4	1000	930	2200	700	2000	1750	1350	2600	350	⩽12000
320	0.4	1000	1080				1750	1500			
400	0.4	1000	1280				1750	1700			

GEH320S

Load kg	Speed m/s	Car size (mm)			Door opening size (mm)		Hoistway size (mm)				
		CW Width	OD Depth	CH Height	OP Width	OPH Height	HW Width	HD Depth	OH Overhead height	PIT Pit depth	R Travel height
400	0.4	950	930	2200	650	2000	1600	1300	2850	250	⩽12000
400	0.4	1200	1280	2200	700	2000	1900	1650	2850	250	⩽12000

GEH500

Load kg	Speed m/s	Car size (mm)			Door opening size (mm)		Hoistway size (mm)				
		CW Width	OD Depth	CH Height	OP Width	OPH Height	HW Width	HD Depth	OH Overhead height	PIT Pit depth	R Travel height
350	0.3	800	600	2150	650	2000	1000	1000	2650	100	⩽12000
350	0.3	1200	1000	2150	850	2000	1400	1400	2650	100	⩽12000

SLP500

Load kg	Speed m/s	Car size (mm)			Door opening size (mm)		Hoistway size (mm)				
		CW Width	OD Depth	CH Height	OP Width	OPH Height	HW Width	HD Depth	OH Overhead height	PIT Pit depth	R Travel height
350	0.3	850	650	-	650	2000	965	1150	2700	100	⩽12000
350	0.3	1200	950	-	800	2000	1315	1450	2500	100	⩽12000

GEH600

Load kg	Speed m/s	Car size (mm)			Door opening size (mm)		Hoistway size (mm)		OH Overhead height	PIT Pit depth	R Travel height
		CW Width	OD Depth	CH Height	OP Width	OPH Height	HW Width	HD Depth			
400	0.3	700	700	2150	633	2000	1000	1000	2650	120	⩽12000
400	0.3	1000	1000		958		1300	1300			⩽12000
400	0.3	1200	1200		993		1500	1500			⩽12000

NOTE: Above shaft size included aluminum structure