Nidec
尼得科
All for dreams



尼得科电梯（青岛）有限公司
Nidec Elevator (Qingdao) Co., LTD.

家用电梯系列 | 2019

HOME ELEVATOR SERIES

SAFE AND COMFORTABLE
安全舒心 居家首选

敬告！

本书为一般信息类出版物，我们保留随时更改产品和说明的权利。本书的任何字句，无论其字面意思或含义，对于任何产品及该产品的用途和质量，或者任何购销合同条文的表述与更改均不承担任何责任。

This publicon is for general informational purpooses and we reserve the right at any time to alter product design and specification. No statement contains should be construed as a warranly or condition, express or implied, as to any product, it's fitness for any particular purpose or quality, or any modifications or representation of the terms of any purchase agreement.

2019年6月印刷



500 & 300系列(曳引)家用电梯
500 & 300 SERIES (TRACTION) HOME ELEVATOR

钢带曳引机
Steel belt traction machine

钢带取代钢丝绳，钢带表面为高强度，高耐磨复合材料，主机轮无磨损现象，终生免更换曳引轮，双制动器设计提供了足够的安全、无齿轮结构高效的能效转化率。

The steel belt, made of high strength, high wear-resistant composite material replaces the wirerope. There is no wear phenomenon of the main wheel. Traction wheel does not need to be replace for lifetime. Double brake design provides enough secure and high efficient efficiency conversion rate of gearless structure.



安全与智能
Security and intelligence


采用物联网技术：一键呼叫救援、原厂协助、维保管理、故障提醒、保养提醒。

Internet of things technology: one-key call for rescue, original factory assistance, maintenance management, fault reminder, maintenance reminder.

控制柜
Control cabinet

采用无接触器设计，更静音，集成化一体式控制柜，体积小样式美观，多种布置方式。


With no contractor design, the integrated control cabinet is mute, small in volume, beautiful in style and a variety of arrangement.



钢带
Steel belt

钢带表面为高强度，高耐磨复合材料，中间为特制钢芯，强度高。复合塑料与绳轮接触有着低噪音，提升电梯乘坐品质。且使用寿命内无需对钢带切割调整、不需要润滑（无油污）等特点，可配置断带保护。

The surface of the steel belt is made of high strength and high wear resistant composite material and the middle part is special steel core of high strength. The composite plastic contacts the rope wheel with noise at the bottom, which improves the elevator riding quality. There is no need for adjustment of the steel belt and no need for lubrication (no oil stain) within its lifespan. The belt breaking protection can be configured.



断带保护
Belt breaking protection

钢带芯有12组高强度钢丝绳组成，只要内部有一组断开，电梯就会停止运行、保护乘客安全。

The steel belt core is made of high strength wirerope. The elevator will stop running and protect the security of passengers if one group of wirerope is broken.

600系列(强驱)家用电梯
600 SERIES (FORCED DRIVE) HOME ELEVATOR



更家居
More livable

设计、工艺、材料更加人性化、家居化，专业品质，给您一个精致、高雅的家。

Humanized and lixable design and technology as well as professional quality provide you a dedicated and elegant home.

更紧凑
More compact

高度简约的设计，井道空间利用最优化，无(小)底坑，小顶层。

Highly concise design, most optimized hoistway space, no(small) pit, small top.

更安全
More secure

具有商用梯同样的安全系统，德国进口全钢芯钢丝绳。

It has the same security system with commercial elevator and originally Germany imported full steel core wirerope.

更安心
More secure

先进的物联网技术，售后服务无忧。

Advanced Internet of things technology, worry-free after-sales service.

更安静
More quiet

专利技术的永磁电机+斜齿轮，无接触器或静音接触器，日本进口的滚轮材料，滚轮导靴静音、高效。

Patented permanent magnet motor + helical gear, contactless or silent contactor, Japanese imported contact roller material, mute and efficient roller guide.

智能安全 智慧生活
INTELLIGENT SAFETY SMART LIFE

凭借先进的物联网技术，我们为您搭建全方位的智能安全生态体系，实现提前故障预警，远程实施救援及即时通讯功能，让家居智慧生活尽在掌控。

Depending on advanced Internet of Things, we build comprehensive intelligent safety ecosystem for you, Achieve early fault warning, remote implement of rescue and timely communication function. It makes intelligent life at your hand.



智能远程监控
Intelligent remote monitor and control

全新物联网服务平台可实现远程智能监控功能，随时监测电梯运行数据，及时反馈到业主的手机APP中，并每月提供监测报告。

Full new serving platform of Internet of Things can achieve intelligent function of remote monitor and control. It monitors the operating data of the elevator at any time and feeds back to the APP in owner's phones in time. It also provides monthly monitoring report.



智能远程施救
Intelligent remote rescue

如维修人员无法进入业主家中，可通过智能远程施救功能，远程控制电梯运行至平层位置，开门放人之后再进行后续维修工作。

If the maintenance staff cannot enter into the owner's house, it can control the elevator to move to the leveling position and conduct maintenance work after releasing people out through intelligent function of remote rescue.

可视一键呼救功能
Visible call-for-help function with only one button

如遇电梯故障被困情况发生，一键呼救功能可连接物业管理或者远程监控平台，实现可视化对讲，安抚被困者情绪，指导相关情况处理，避免意外事故发生。

If the owner is trapped inside the elevator because of failures, the call-for-help function with only one button can link to the property management office or the remote mentoring and controlling platform, achieving visible communication, appeasing the mood of the trapped, instructing dealings of related situation and avoiding occurrence of accidents.



轿厢装潢
CAR DECORATION

注：图片系电脑绘制，可能与实际略有不同。
Note: The pictures are plotted by computer and are likely somewhat different from the actual products.



NCA-00

标准配置
Standard configuration

吊顶：镜面不锈钢 筒灯
侧壁、前壁：发纹不锈钢
后壁：发纹不锈钢 镜面不锈钢
扶手：无
地板：PVC（大理石可选）

Ceiling: Mirror stainless steel, Downlight
Car wall、Front wall: Hairline stainless steel
Back wall: Hairline stainless steel, Mirror stainless steel
Handrail: None
Floor: PVC (Marble optional)

NCA-01

可选配置
Optional

吊顶：镜面不锈钢 筒灯
侧壁、后壁：木纹板 镜面不锈钢
前壁：镜面不锈钢
扶手：无
地板：PVC（大理石可选）

Ceiling: Mirror stainless steel, Downlight
Side wall、Back wall: Wood grain, Mirror stainless steel
Front wall： Mirror stainless steel
Handrail: None
Floor: PVC (Marble optional)





NCA-02

可选配置
Optional

吊顶：橡木白木纹板 黑钛镜面不锈钢 筒灯
轿壁：橡木白木纹板
扶手：无
地板：PVC（大理石可选）

Ceiling: Oak wood whitewood board, Black titanium mirror stainless steel, Downlight
Car wall: Oak wood whitewood board
Handrail: None
Floor: PVC (Marble optional)

NCA-03

可选配置
Optional

吊顶：镜面不锈钢 乳白亚克力板 筒灯
后壁：深色木纹 仿大理石木纹
侧壁：深色木纹 镜面不锈钢
前壁：镜面不锈钢
扶手：无
地板：PVC（大理石可选）

Ceiling: Mirror stainless steel, Milky white acrylic plate, Dark wood grain, Downlight
Back wall: Dark wood grain, Faux marble grain
Side wall: Dark wood grain, Mirror stainless steel
Front wall: Mirror stainless steel
Handrail: None
Floor: PVC (Marble optional)



轿厢装潢
CAR DECORATION

注：图片系电脑绘制，可能与实际略有不同。
Note: The pictures are plotted by computer and are likely somewhat different from the actual products.



NCA-04

可选配置
Optional

吊顶：镜面不锈钢 贴金箔 暗藏灯带 筒灯
后壁：镜面不锈钢 木饰线框架 镜面不锈钢蚀刻
侧壁：镜面不锈钢 木纹钢板
前壁：镜面不锈钢
扶手：镜面不锈钢 实木
地板：PVC（大理石可选）

Ceiling: Mirror stainless steel, Gold foil, Hidden lamp belt, Downlight
Back wall: Mirror stainless steel, Wood line frame, Mirror stainless steel etching
Side wall: Mirror stainless steel, Wood grain steel plate
Front wall: Mirror stainless steel
Handrail: Mirror stainless steel,Solid wood
Floor: PVC (Marble optional)


NCA-05

可选配置
Optional

吊顶：钛金镜面不锈钢 筒灯
后壁：钛金镜面蚀刻不锈钢 木饰面
侧壁：钛金镜面蚀刻不锈钢 木饰面
前壁：钛金镜面不锈钢
扶手：钛金镜面不锈钢 实木
地板：PVC（大理石可选）

Ceiling: Titanium mirror stainless steel, Downlight
Back wall: Titanium mirror etched stainless steel, Wood grain
Side wall: Titanium mirror etched stainless steel, Wood grain
Front wall: Titanium mirror stainless steel
Handrail: Titanium mirror stainless steel, Solid wood
Floor: PVC (Marble optional)





NCA-06

可选配置
Optional

吊顶：木饰面 仿云母石亚克力
后壁：木饰面 玻璃镜
侧壁：木饰面
前壁：镜面不锈钢
扶手：无
地板：PVC（大理石可选）


Ceiling: Wood grain, Faux sheet mica acrylic
Back wall: Wood grain, Glass mirror
Side wall: Wood grain
Front wall: Mirror stainless steel
Handrail: None
Floor: PVC (Marble optional)

NCA-07

可选配置
Optional

吊顶：木饰面 暗藏灯带 吸顶灯
后壁：木饰面 玻璃镜
侧壁：木饰面
前壁：镜面不锈钢
扶手：无
地板：PVC（大理石可选）

Ceiling: Wood grain, Hidden lamp belt, Ceiling lamp
Back wall: Wood grain, Glass mirror
Sidewall: Wood grain
Front wall: Mirror stainless steel
Handrail: None
Floor: PVC (Marble optional)



轿厢装潢
CAR DECORATION

注：图片系电脑绘制，可能与实际略有不同。
Note: The pictures are plotted by computer and are likely somewhat different from the actual products.



NCA-08

可选配置
Optional

吊顶：镜面不锈钢 筒灯
后壁：镜面不锈钢边框 透明钢化夹胶安全玻璃
侧壁：镜面不锈钢边框 透明钢化夹胶安全玻璃
前壁：镜面不锈钢
扶手：无
地板：PVC（大理石可选）

Ceiling: Mirror stainless steel, Downlight
Back wall: Mirror stainless steel frame,
Transparent tempered laminated safety glass
Side wall: Mirror stainless steel frame,
Transparent tempered laminated safety glass
Front wall: Mirror stainless steel
Handrail: None
Floor: PVC (Marble optional)

NCA-09

可选配置
Optional

吊顶：钛金镜面不锈钢 暗藏灯带 造型灯条
后壁：钛金镜面不锈钢 造型灯条
侧壁：钛金镜面不锈钢
前壁：钛金镜面不锈钢
扶手：无
地板：PVC（大理石可选）

Ceiling: Titanium mirror stainless steel, Hidden lamp belt, Modelling light bar
Back wall: Titanium mirror stainless steel, Modelling light bar
Side wall: Titanium mirror stainless steel
Front wall: Titanium mirror stainless steel
Handrail: None
Floor: PVC (Marble optional)





NCA-10

可选配置
Optional

吊顶：圆弧形木纹板 黑钛镜面不锈钢 暗藏灯带 筒灯
后壁：黑钛镜面不锈钢边框 透明钢化夹胶安全玻璃
侧壁：木纹板 黑钛镜面不锈钢边框 透明钢化夹胶安全玻璃
前壁：黑钛镜面不锈钢
扶手：无
地板：PVC（大理石可选）
轿底：LED氛围灯（选配）

Ceiling: Circular arc wood card, Black titanium mirror stainless steel, Hidden lamp belt, Downlight
Back wall: Black titanium mirror stainless steel, Transparent tempered laminated safety glass
Side wall: Wood grain plate, Black titanium mirror stainless steel frame, Transparent tempered laminated safety glass
Front wall: Black titanium mirror stainless steel
Handrail: None
Floor: PVC (Marble optional)
Car bottom: LED ambient light(optional)

NCA-11

可选配置
Optional

吊顶：钛金镜面不锈钢 乳白亚克力板
后壁：钛金镜面不锈钢边框 透明钢化夹胶安全玻璃（圆弧形）
侧壁：钛金镜面不锈钢边框 透明钢化夹胶安全玻璃
前壁：钛金镜面不锈钢
扶手：钛金镜面不锈钢
地板：PVC（大理石可选）
上下罩：钢板烤漆钛金色

Ceiling: Titanium mirror stainless steel, Milky white acrylic plate
Back wall: Titanium mirror stainless steel frame, Transparent tempered laminated safety glass(Circular arc)
Side wall: Titanium mirror stainless steel frame, Transparent tempered laminated safety glass
Front wall: Titanium mirror stainless steel
Handrail: Titanium mirror stainless steel
Floor: PVC (Marble optional)
Upper and lower cover: steel plate baking finish titanium golden



人机界面
COP&HOP

注：图片系电脑绘制，可能与实际略有不同。
Note: The pictures are plotted by computer and are likely somewhat different from the actual products.

显示区域
Display area


XS001


XS002


XS003

操纵箱
COP


CZ01


WH01


CZ02

WH02


CZ03



WH03

触摸式人机界面
Touch human machine interface



CZ04

无底盒召唤
Bottomless box call


WH04

开门方式选择
Selection of door opening way


平开门（手拉）
Vertical hinged door (hand pull)


中分双折门
Midsplit bifolding door


旁开门
Midsplit bifolding door

井道样式选择
Selection of hoistway type




白色
White


木纹色
Wood color


香槟色
Champagne

轿厢装潢配置
CAR DECORATION CONFIGURATION

注：图片系电脑绘制，可能与实际略有不同。
Note: The pictures are plotted by computer and are likely somewhat different from the actual products.

轿厢扶手
Cabin Handrail



FS01

FS02

FS03

FS04

手拉门扶手
Door Handrail



LS01 LS02 LS03 LS04

门选配
Landing Door(Option)



M001 M002 M003 M004



M005 M006 M007 M008

吊顶
Ceiling(Option)



D01

长发纹不锈钢镀黑钛+透光云石（雪花白）
LED筒灯

Long grain black titanium plated stainless steel+translucent marble (Snow White)
LED downlight



D02

喷粉钢板+亚克力+筒灯

Spray steel plate+acrylic+Downlight



D03

木纹饰面+筒灯

Wood grain+Downlight




D04

镜面不锈钢+亚克力

Mirror stainless steel+acrylic

地板
Floor



DB01



DB02



DB03



DB04



DB05



DB06



DB07



DB08




DB09

土建参数
CONSTRUCTION PARAMETERS

曳引式钢带电梯

500-C系列(自有井道)
500-L系列(铝合金井道)

井道平面图
Shaft plan layout



Y-Y井道立面图
Vertical section

500-C系列(自有井道) 600-C series (Original hoistway)

额定载重 Loading Capacity (kg)	速度 Speed (kg)	轿厢尺寸 Car size(mm) [CW*CD]	开门尺寸 Door opening size(mm)[OP*HH]	开门方式 Door opening Type	井道尺寸 Shaft size(mm) [SW*SD]	顶层高度 Overhead height (mm) [OH]	底坑深度 Pit depth (mm) [PD]
260	0.4	900*1100*2200	700*2000	中分四扇门	1450*1400	3000	300
320	0.4	1000*1200*2200	700*2000	中分四扇门	1550*1450	3000	300
400	0.4	1200*1300*2200	800*2000	中分四扇门	1750*1550	3000	300

500-L系列(铝合金井道) 600-L series (Aluminum alloy hoistway)


额定载重 Loading Capacity (kg)	速度 Speed (kg)	轿厢尺寸 Car size(mm) [CW*CD]	开门尺寸 Door opening size(mm)[OP*HH]	开门方式 Door opening Type	井道尺寸 Shaft size(mm) [SW*SD]	顶层高度 Overhead height (mm) [OH]	底坑深度 Pit depth (mm) [PD]
260	0.4	900*1100*2200	700*2000	中分四扇门	1600*1550	3000	300
320	0.4	1000*1200*2200	700*2000	中分四扇门	1700*1600	3000	300
400	0.4	1200*1300*2200	800*2000	中分四扇门	1900*1700	3000	300

土建参数
CONSTRUCTION PARAMETERS

曳引式钢丝绳电梯

300-C系列(自有井道)
300-L系列(铝合金井道)

井道平面图
Shaft plan layout



Y-Y井道立面图
Vertical section

300-C系列(自有井道) 600-C series (Original hoistway)

额定载重 Loading Capacity (kg)	速度 Speed (kg)	轿厢尺寸 Car size(mm) [CW*CD]	开门尺寸 Door opening size(mm)[OP*HH]	开门方式 Door opening Type	井道尺寸 Shaft size(mm) [SW*SD]	顶层高度 Overhead height [mm] [OH]	底坑深度 Pit depth [mm] [PD]
260	0.4	900*1100*2200	700*2000	旁开两扇门	1475*1450	3000	300
320	0.4	1000*1200*2200	700*2000	中分两扇门	1600*1450	3000	300
400	0.4	1200*1300*2200	800*2000	中分两扇门	1800*1550	3000	300

300-L系列(铝合金井道) 600-L series (Aluminum alloy hoistway)

额定载重 Loading Capacity (kg)	速度 Speed (kg)	轿厢尺寸 Car size(mm) [CW*CD]	开门尺寸 Door opening size(mm)[OP*HH]	开门方式 Door opening Type	井道尺寸 Shaft size(mm) [SW*SD]	顶层高度 Overhead height [mm] [OH]	底坑深度 Pit depth [mm] [PD]
260	0.4	900*1100*2200	700*2000	旁开两扇门	1600*1550	3000	300
320	0.4	1000*1200*2200	700*2000	中分两扇门	1750*1600	3000	300
400	0.4	1200*1300*2200	800*2000	中分两扇门	1950*1700	3000	300

尼得科电梯服务体系
Nidec Elevator Service System

如何购买以及定制一部
属于您的尼得科家用电梯?
只需要简单5步即可。

How to purchase and customize a
Nidec home lift belonging to you
Just need five steps











1.

拨打服务热线
Call the service hotline

拨打尼得科电梯服务热线186-7575-5507，将您的需求告诉我们

Call the service hotline of Nidec Elevator 186-7575-5507 and tell us your demands.

2.

预约上门服务
Order a visit service

当地销售人员及工程师主动与您取得联系，接洽技术和商务细节，预约上门服务。

Local salesman and engineers will contact with you to discuss about details of technology and commerce, order a visit service.

3.

方案确定，签约及排产
Confirm project, sign a contract and make schedule

方案确定后，签约、排产。

After confirming the project, sign a contract and make schedule.

4.

上门安装
Visit installation

销售工程师交接电梯安装前的准备工作，安装人员上门安装电梯。

Sales engineers will hand over preparation work before installation, and installation personnel will provide visit installation.

5.

售后服务
After-sales service

安装结束后，可选配通过手机APP设置服务功能。当电梯需要维护时，APP将会自行通知。

After the installation, set service functions through optional mobile phone APP. When the lift needs to be maintained, the APP will inform automatically.